

Light Palette Live

Our Live performance console has 48 powerful submaster faders for exceptional hands on control. Whether you are programming a television production or running live events on a regular basis complete control is at your finger tips. Light Palette Live offers ten pages of submaster assignments along with 12 playback faders for multiple cue stacks for quick access to all aspects of your show.

Light Palette command line operation makes setting up and programming your show a breeze. Intuitive and easy to use, our traditional command structure will be familiar to operators everywhere.



Light Palette Live Lighting Control Console

Features

- High-resolution Graphical User Interface with integrated trackpad
- Microsoft Windows Operating System
- Dual Core processors for optimum performance
- PaletteOS's Universal Attribute Control - Automated lighting control with the intelligent fixture library
- Two split playbacks
- Twelve direct access playback faders
- Integrated Moving Light Controls with 4 rotary encoder wheels
- Selection buttons for all Attribute Families
- Split Grand Masters with Blackout keys
- 48 Submasters with Unlimited Submaster Pages
- Four DMX512 ports with 2,048 outputs
- Support for two video displays (touchscreens optional)
- Strand ShowNet standard on all systems with over 65,000 DMX outputs
- Remote video support
- Wired and wireless focus remote options
- Available with up to 8,000 channels
- Show file compatibility with all 300 and 500 series consoles

PHILIPS
Strand Lighting

SPECIFICATION SUBMITTAL

CONSULTANT: <input type="text"/>	PROJECT NAME: <input type="text"/>	MODEL NUMBER QUANTITY: <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
DATE: <input type="text"/>	PROJECT NUMBER: <input type="text"/>	APPROVED BY: <input type="text"/>

Introduction


At last, the next generation of Light Palette consoles has arrived. Based on our powerful Palette OS with its direct action point and click graphical interface these new consoles offer control to meet productions of any size. Systems are available from 1500 to 8000 channels with over 65,000 DMX outputs providing exceptional range and control.

Light Palette has a powerful web browser that lets you configure and monitor your network and interact directly with Strand's award-winning C21 and EC21 dimming systems. Right there on the console screen. And Light Palette is an elegant and highly functional lighting console, leveraging industry-standard technologies making it easy to communicate with other cool products (and not just ours) over the network. Whether you want to visualize your show with WYSIWYG

or run a PowerPoint projection Light Palette connects quickly and easily.

And Palette's brain is a rugged industrial PC with a powerful Dual Core processor that could be swapped in seconds if you ever needed to. Which you most likely wouldn't. Palette has an 80 gigabyte hard drive, or you can save your shows anywhere on the network. You even get a USB key for show storage over sneakernet. On us. How cool is that?

PaletteOffline runs in Windows and can import Strand 300 and 500 series show files, so you can mix, match and swap to your heart's content.



Light Palette Live Lighting Control Console

Technical Specifications		Connectivity	
Electrical		1	Ethernet (RJ45) port, Strand ShowNet compatible
Supply Voltage:	Universal power supply 90-240V	2	USB ports (rear)
Approvals:	ETL listed and CE marked	1	USB port (front)
Mechanical		2	VGA monitor outputs (monitors not included)
Construction:	Galvanized sheet steel and aluminum extrusion and Flame retardant ABS controls	1	Serial port
Operating Temperature:	0° to 50°C ambient (32° to 122°F)	4	DMX512 (XLR5) ports
Humidity:	5% - 95% non-condensing		
Storage Temperature:	-40° to 70°C (-40° to 158°F)		
Weight:	60.7 lbs (27.5 kg)		
Dimensions (LxWxH):	24.5 x 40.7 x 7.1 in 655.2 x 1034.9 x 180.9 mm		



Ordering Information

Cat. No. Description

Light Palette VL Consoles*		Peripheral Equipment - Cables	
91866-NC	Light Palette Live 1500 Console - No Channels	95090	DMX-512 Control Cable 25' (A5F to A5M)
91866	Light Palette Live 1500 Console with 1500 Channels	96456	Ethernet cable 10' 10/100BaseT (RJ-45)
91867	Light Palette Live 3000 Console with 3000 Channels	96459	Ethernet cable 25' 10/100BaseT (RJ-45)
91868	Light Palette Live 6000 Console with 6000 Channels		
91869	Light Palette Live 8000 Console with 8000 Channels		
Includes:	*All consoles include Palette keyboard, mouse, dust cover, USB key, power cord and printed installation guide. Monitors not included.		
Peripheral Equipment - Accessories		Peripheral Equipment - Software	
95483	Dust Cover, Light Palette VL, Light Palette Live	67509	50 Additional Channels with a NEW Console Purchase
66219	Gooseneck Worklights	67510	50 Additional Channels for an EXISTING Console
Peripheral Equipment - Library Storage		Pocket Palette Wireless Kits	
67528	Additional USB Data Key	66146	Symbol Wireless PDA Kit c/w 500 Series and Palette Remote Software
Peripheral Equipment - MIDI/SMPTE		66147	Symbol 19" Rack Mounting Wireless Access Point and Switch Kit 120V
64428	MIDI/SMPTE Option	66149	Pocket Palette Networked Kit (includes remote, controller switch, and (2) access ports)
Peripheral Equipment - Monitors		66150	Pocket Palette Standalone Kit (includes remote and wireless access point)
95220	20-inch Flat Panel Monitor		
95712	17-inch Touch Screen Flat Panel Monitor		

- This page intentionally left blank -

Philips Strand Lighting

Dallas

10911 Petal Street
Dallas, TX 75238
Tel: +1 (214) 647-7880
Fax: +1 (214) 647-8031

New York

267 5th Ave, 4th Floor
New York, NY 10016
Tel: +1 (212) 213-8219
Fax: +1 (212) 532-2593

www.strandlighting.com

© Philips Group 2012
All rights reserved.
The Company reserves the right
to make any variation in design or
construction to the equipment
described. E&OE

Auckland

19-21 Kawana Street
Northcote, Auckland 0627
New Zealand
Tel: + 64 9 481 0100
Fax: + 64 9 481 0101

Asia

Unit C, 14/F,
Roxy Industrial Centre
No. 41-49 Kwai Cheong Road
Kwai Chung, N.T., Hong Kong
Tel: +852 2796 9786
Fax: +852 2798 6545

Europe

European Service & Distribution Centre
Rondweg zuid 85
Winterswijk 7102 JD
the Netherlands
Tel: +31 (0) 543-542516